Index to Volume 60 (1995)

	Issue	Page
Abad, A., see Knight, R.	2	431
Abdelrahman, E.-S.M., Least-squares minimization approach to depth determination from numerical horizontal gravity gradients (Short Note)	4	1259
Abdelrahman, E.-S.M., Least-squares minimization approach to shape determination from gravity data (Short Note)	2	589
Abma, R., Lateral prediction for noise attenuation by *t-x* and *f-x* techniques	6	1887
Accuracy study of velocity estimation in 3-D layered models, V. Sorin	5	1567
Acoustic wave-equation traveltime and waveform inversion of crosshole seismic data, C. Zhou, W. Cai, Y. Luo, G.T. Schuster, and S. Hassanzadeh	3	765
Acoustic waves in finely layered media, J.M. Hovem	4	1217
Advances of geophysical prospecting for petroleum in marine carbonate areas of the upper Yangtze region, southern China, Q. Ou and D. Deng	5	1295
Air-gun bubble damping by a screen, J. Langhammer, M. Landrø, J. Martin, and E. Berg	6	1765
Airborne gravity tests over Lake Ontario, J.F. Halpenny and D.M. Darbha	1	61
Al-Shukri, H.J., see Bear, G.W.	5	1354
Alkhalifah, T., Efficient synthetic-seismogram generation in transversely isotropic, inhomogeneous media	4	1139
Alkhalifah, T., Gaussian beam depth migration for anisotropic media	5	1474
Alkhalifah, T., Velocity analysis for transversely isotropic media	5	1550
Alumbaugh, D.L., Theoretical and practical considerations for crosswell electromagnetic tomography assuming a cylindrical geometry	3	846
Alumbaugh, D.L., see Wilt, M.J.	3	871
Amano, H., Analytical solution to separate *P*-waves and *S*-waves in VSP wavefields	4	955
Ambiguities in AVO inversion of reflections from a gas-sand, G. Drufuca and A. Mazzotti	1	134
Amplitude responses of thin beds: Sinusoidal approximation versus Ricker approximation, H.-M. Chung and D.C. Lawton	1	223
Amundsen, L., Decomposition of multicomponent sea-floor data into upgoing and downgoing *P*- and *S*-waves	2	563
Amundsen, L., Estimation of sea-floor wave velocities and density from pressure and particle velocity by AVO analysis (Short Note)	5	1575
Amundsen, L., Extraction of *P*- and *S*-waves from the vertical component of the particle velocity at the sea floor	1	231
Amundsen, L., Extraction of the normal component of the particle velocity from marine pressure data	1	212
Anand Babu, L., see Mohan, N.L.	2	531
Analysis of 3-D analytic signal, N.L. Mohan and L. Anand Babu	2	531
Analytical solution to separate *P*-waves and *S*-waves in VSP wavefields, H. Amano	4	955
Analytical solution to the borehole resistivity casing problem, J.R. Wait (Short Note)	4	1261
Anderson, N.L., see Miller, R.D.	2	423
Anderson, W.L., *Q*-factor approximation of electromagnetic fields for high-frequency sounding in the 300 kHz to 30 Mhz range over layered media (Short Note)	4	1253
Anisotropic parameters of layered media in terms of composite elastic properties, J. Brittan, M. Warner, and G. Pratt (Short Note)	4	1243
Anisotropic wave propagation through finite-difference grids, H. Igel, P. Mora, and B. Riollet	4	1203
Announcements		
1 312	4	1279
2 624	5	1602
3 935	6	1956
Annual Meeting Technical Program	5	1604
Apparent resistivity curves in controlled-source electromagnetic sounding directly reflecting true resistivities in a layered earth, U.C. Das	1	53
Application of aeromagnetic data to mineral potential evaluation in Minnesota, A. Spector and T.L. Lawler	6	1704
Arntsen, B., see Amundsen, L.	1	212
Attenuation and anisotropy: The effect of extra fine layering, M.S. Sams	6	1646
Attenuation of *P*- and *S*-waves as a method of distinguishing gas and condensate from oil and water, T. Klimentos	2	447
Ball, G., Estimation of anisotropy and anisotropic 3-D prestack depth migration, offshore Zaire	5	1495
Ballard, J., see Lines, L.	2	354
Ballard, R.F., Jr., see Rechtien, R.D.	1	76
Barker, R.D., see Loke, M.H.	6	1682
Bear, G.W., Linear inversion of gravity data for 3-D density distributions	5	1354
Beard, L.P., Investigating the resolution of IP arrays using inverse theory	5	1326
Beck, J., see Lines, L.	2	354
Becker, A., see Wilt, M.J.	3	871
Beresford, G., see Duncan, G.	4	1157
Beresford, G., see Painter, S.	4	1187
Berg, C.R., A simple, effective-medium model for water saturation in porous rocks	4	1070
Berg, E., see Langhammer, J.	6	1765
Berge, P.A., Ultrasonic velocity-porosity relationships for sandstone analogs made from fused glass beads	1	108
Bergeron, C.J., Jr., see, Kovacs, A.	2	374
Berryman, J.G., see Berge, P.A.	1	108
Best, A.I., Seismic attenuation and pore-fluid viscosity in clay rich reservoir sandstones	5	1386
Bevc, D., Plumes: Response of time migration to lateral velocity variation	4	1118

Index to Volume 60 (1995)

	Issue	Page
Abad, A., see Knight, R.	2	431
Abdelrahman, E.-S.M., Least-squares minimization approach to depth determination from numerical horizontal gravity gradients (Short Note)	4	1259
Abdelrahman, E.-S.M., Least-squares minimization approach to shape determination from gravity data (Short Note)	2	589
Abma, R., Lateral prediction for noise attenuation by *t-x* and *f-x* techniques	6	1887
Accuracy study of velocity estimation in 3-D layered models, V. Sorin	5	1567
Acoustic wave-equation traveltime and waveform inversion of crosshole seismic data, C. Zhou, W. Cai, Y. Luo, G.T. Schuster, and S. Hassanzadeh	3	765
Acoustic waves in finely layered media, J.M. Hovem	4	1217
Advances of geophysical prospecting for petroleum in marine carbonate areas of the upper Yangtze region, southern China, Q. Ou and D. Deng	5	1295
Air-gun bubble damping by a screen, J. Langhammer, M. Landrø, J. Martin, and E. Berg	6	1765
Airborne gravity tests over Lake Ontario, J.F. Halpenny and D.M. Darbha	1	61
Al-Shukri, H.J., see Bear, G.W.	5	1354
Alkhalifah, T., Efficient synthetic-seismogram generation in transversely isotropic, inhomogeneous media	4	1139
Alkhalifah, T., Gaussian beam depth migration for anisotropic media	5	1474
Alkhalifah, T., Velocity analysis for transversely isotropic media	5	1550
Alumbaugh, D.L., Theoretical and practical considerations for crosswell electromagnetic tomography assuming a cylindrical geometry	3	846
Alumbaugh, D.L., see Wilt, M.J.	3	871
Amano, H., Analytical solution to separate *P*-waves and *S*-waves in VSP wavefields	4	955
Ambiguities in AVO inversion of reflections from a gas-sand, G. Drufuca and A. Mazzotti	1	134
Amplitude responses of thin beds: Sinusoidal approximation versus Ricker approximation, H.-M. Chung and D.C. Lawton	1	223
Amundsen, L., Decomposition of multicomponent sea-floor data into upgoing and downgoing *P*- and *S*-waves	2	563
Amundsen, L., Estimation of sea-floor wave velocities and density from pressure and particle velocity by AVO analysis (Short Note)	5	1575
Amundsen, L., Extraction of *P*- and *S*-waves from the vertical component of the particle velocity at the sea floor	1	231
Amundsen, L., Extraction of the normal component of the particle velocity from marine pressure data	1	212
Anand Babu, L., see Mohan, N.L.	2	531
Analysis of 3-D analytic signal, N.L. Mohan and L. Anand Babu	2	531
Analytical solution to separate *P*-waves and *S*-waves in VSP wavefields, H. Amano	4	955
Analytical solution to the borehole resistivity casing problem, J.R. Wait (Short Note)	4	1261
Anderson, N.L., see Miller, R.D.	2	423
Anderson, W.L., *Q*-factor approximation of electromagnetic fields for high-frequency sounding in the 300 kHz to 30 Mhz range over layered media (Short Note)	4	1253
Anisotropic parameters of layered media in terms of composite elastic properties, J. Brittan, M. Warner, and G. Pratt (Short Note)	4	1243
Anisotropic wave propagation through finite-difference grids, H. Igel, P. Mora, and B. Riollet	4	1203
Announcements		
1 312	4	1279
2 624	5	1602
3 935	6	1956
Annual Meeting Technical Program	5	1604
Apparent resistivity curves in controlled-source electromagnetic sounding directly reflecting true resistivities in a layered earth, U.C. Das	1	53
Application of aeromagnetic data to mineral potential evaluation in Minnesota, A. Spector and T.L. Lawler	6	1704
Arntsen, B., see Amundsen, L.	1	212
Attenuation and anisotropy: The effect of extra fine layering, M.S. Sams	6	1646
Attenuation of *P*- and *S*-waves as a method of distinguishing gas and condensate from oil and water, T. Klimentos	2	447
Ball, G., Estimation of anisotropy and anisotropic 3-D prestack depth migration, offshore Zaire	5	1495
Ballard, J., see Lines, L.	2	354
Ballard, R.F., Jr., see Rechtien, R.D.	1	76
Barker, R.D., see Loke, M.H.	6	1682
Bear, G.W., Linear inversion of gravity data for 3-D density distributions	5	1354
Beard, L.P., Investigating the resolution of IP arrays using inverse theory	5	1326
Beck, J., see Lines, L.	2	354
Becker, A., see Wilt, M.J.	3	871
Beresford, G., see Duncan, G.	4	1157
Beresford, G., see Painter, S.	4	1187
Berg, C.R., A simple, effective-medium model for water saturation in porous rocks	4	1070
Berg, E., see Langhammer, J.	6	1765
Berge, P.A., Ultrasonic velocity-porosity relationships for sandstone analogs made from fused glass beads	1	108
Bergeron, C.J., Jr., see, Kovacs, A.	2	374
Berryman, J.G., see Berge, P.A.	1	108
Best, A.I., Seismic attenuation and pore-fluid viscosity in clay rich reservoir sandstones	5	1386
Bevc, D., Plumes: Response of time migration to lateral velocity variation	4	1118

	Issue	Page
Beyond ray tomography: Wavepaths and Fresnel volumes, D.W. Vasco, J.E. Peterson, Jr., and E.L. Majer	6	1790
Black, J.L., see Bevc, D.	4	1118
Black, R.A., see Park, C.	5	1527
Blair, D.P., Soil-embedded detector mount for seismic monitoring	1	120
Blanch, J.O.A., Modeling of a constant *Q*: Methodology and algorithm for an efficient and optimally inexpensive viscoelastic technique	1	176
Bleistein, N., see Liu, Z.	1	142
Block iterative algorithm for 3-D electromagnetic modeling using integral equations with symmetrized substructures, Z. Xiong and A.C. Tripp (Short Note)	1	291
Blonk, B., Elastodynamic inverse scattering method for removing scattered surface waves from field data	6	1897
Body-wave radiation patterns and AVO in transversely isotropic media, I. Tsvankin	5	1409
Bonner, B.P., see Berge, P.A.	1	108
Borehole seismic-source radiation in layered isotropic and anisotropic media: Boundary element analysis, W. Dong, M. Bouchon, and M.N. Toksöz	3	735
Borehole seismic-source radiation in layered isotropic and anisotropic media: Real-data analysis, W. Dong and M.N. Toksöz	3	748
Borehole seismic-source radiation pattern in transversely isotropic media, W. Dong and M.N. Toksöz	1	29
Bouchon, M., see Dong, W.	3	735
Brittan, J., Anisotropic parameters of layered media in terms of composite elastic properties (Short Note)	4	1243
Bryant, S., Prediction of elastic-wave velocities in sandstones using structural models	2	437
Buller, P., see Lines, L.	2	354
Bunks, C., Multiscale seismic waveform inversion	5	1457
Burns, D.R., see Tang, X.M.	1	19
Butler, D.B., The effect of steam quality on the electrical behavior of steam-flooded sands: A laboratory study	4	998
Butler, D.K., Generalized gravity gradient analysis for 2-D inversion	4	1018
Cai, W., see Zhou, C.	3	765
Cai, J., Ray-based synthesis of bistatic ground-penetrating radar profiles	1	87
Cai, J., see Zeng, X.	6	1727

Calendar

1	314	4	1280
2	626	5	1603
3	936	6	1957

	Issue	Page
Calvert, H.T., see Duckworth, K.	4	1249
Carcione, J.M., Constitutive model and wave equations for linear, viscoelastic, anisotropic media	2	537
Carcione, J.M., Forbidden directions for inhomogeneous pure shear waves in dissipative anisotropic media	2	522
Carcione, J.M., Generalized *SH*-wave equation	2	549
Cavallini, F., see Carcione, J.M.	2	522
Cavallini, F., see Carcione, J.M.	2	549
Chakraborty, A., Frequency-time decomposition of seismic data using wavelet-based methods	6	1906
Chambers, R., see Lines, L.	2	354
Chan, C., see Mavko, G.	6	1750
Chang, C.-H., Experimental observation of surface wave propagation for a transversely isotropic medium	1	185
Chavent, G., Determination of background velocities by multiple migration fitting	2	476
Chavent, G., see Bunks, C.	5	1457
Chen, H.-W., see, Zeng, X.	6	1727
Christensen, D.H., see Clippard, J.D.	4	1283
Chung, H.-M., Amplitude responses of thin beds: Sinusoidal approximation versus Ricker approximation	1	223
Claerbout, J., see Abma, R.	6	1887
Clay, C.S., see Daneshvar, M.R.	4	1178
Clippard, J.D., Composite distribution inversion applied to crosshole tomography	4	1283
Coates, R.T., Finite-difference modeling of faults and fractures	5	1514
Comparison of ray and Fourier methods for modeling monostatic ground-penetrating radar profiles, X. Zeng, G.A. McMechan, J. Cai, and H.-W. Chen	6	1727
Composite distribution inversion applied to crosshole tomography, J.D. Clippard, D.H. Christensen, and R.D. Rechtien	5	1283
Constitutive model and wave equations for linear, viscoelastic, anisotropic media, J.M. Carcione	2	537

Contributors to this issue

1	308	4	1274
2	619	5	1599
3	931	6	1951

	Issue	Page
Corrigan, J., Heat flow and gravity responses over salt bodies: A comparative model analysis	4	1029
Cox, D., see Lines, L.	2	354
Critical review of acoustic wave modeling procedures in 2.5 dimensions, P.R. Williamson and R.G. Pratt (Short Note)	2	591
Cross-borehole resistivity tomography of a pilot-scale, in-situ vitrification test, B.R. Spies and R.G. Ellis	3	886
Crosswell electromagnetic inversion using integral and differential equations, G.A. Newman	3	899
Crosswell electromagnetic tomography in steel-cased wells, A.G. Nekut	3	912
Crosswell electromagnetic tomography: System design considerations and field results, M.J. Wilt, D.L. Alumbaugh, H.F. Morrison, A. Becker, K.H. Lee, and M. Deszcz-Pan	3	871
Crosswell methods: Where are we, where are we going?, J.W. Rector III	3	629
Crosswell seismic radial survey tomograms and the 3-D interpretation of a heavy oil steamflood, M.E. Mathisen, P.J. Cunningham, J. Shaw, A.A. Vassiliou, J.H. Justice, and N.J. Guinzy	3	651

	Issue	Page
Crosswell seismic study in a seismically poor data area, D.S. Lee, S.K. Lazaratos, and A.F. Walden	3	758
Crosswell tomographic estimation of elastic constants in heterogeneous transversely isotropic media, R.J. Michelena, J.M. Harris, and F. Muir	3	774
Cuer, M., see Jurado, F.	6	1843
Cuer, M., see Jurado, F.	6	1857
Cunningham, P.S., see Mathisen, M.E.	3	631
Cunningham, P.S., see Mathisen, M.E.	3	651
Dai, N., Wave propagation in heterogeneous, porous media: A velocity-stress, finite-difference method	2	327
Damiata, B.N., see Lee T.-C.	4	1058
Daneshvar, M.R., Passive seismic imaging using microearthquakes	4	1178
Darbha, D.M., see Halpenny, J.F.	1	61
Das, U.C., Apparent resistivity curves in controlled-source electromagnetic sounding directly reflecting true resistivities in a layered earth	1	53
Das, U.C., Efficient computation of apparent resistivity curves for depth profiling of a layered earth	6	1691
Das, U.C., Frequency- and time-domain electromagnetic responses of layered earth: A multiseparation, multisystem approach (Short Note)	1	285
Dębski, W., Information on elastic parameters obtained from the amplitudes of reflected waves	5	1426
Decomposition of multicomponent sea-floor data into upgoing and downgoing *P*- and *S*-waves, L. Amundsen and A. Reitan	2	563
de Hoop, A.T., see Das, U.C.	6	1691
de Lima, O.A.L., Water saturation and permeability from resistivity dielectric and porosity logs	6	1756
Deng, D., Geophysical prospecting for petroleum in marine carbonate areas of the lower Yangtze region of southern China	5	1306
Deng, D., see Ou, Q.	5	1295
Derain, J.-F., see Fournier, F.	5	1437
Deszcz-Pan, M., see Wilt, M.J.	3	871
Detection of monumental tombs buried in tumuli by seismic refraction, G.N. Tsokas, C.B. Papazachos, A. Vafidis, M.Z. Loukoyiannakis, G. Vargemezis, and K. Tzimeas	6	1735
Determination of background velocities by multiple migration fitting, G. Chavent and C.A. Jacewitz	2	476

Discussions on:

"Application of TEM to Cyprus-type massive sulfide exploration in Cyprus," (N.J. Cooper and R. Swift) by S. Webster with reply by the authors and a response by S. Webster to the authors	5	1584
"Depth of investigation of collinear electrode arrays over homogeneous anisotropic half-space in direct current methods," (B.B. Bhattacharya and M.K. Sen) by A. Apparao and G.S. Srinivas with reply by the authors	6	1936
"Linear and parabolic τ-p transforms revisited," B. Zhou and S.A. Greenhalgh (July 1994, p. 1133-1149) by Jérôme Mars and James W. Rector III with reply by the authors and response by J. Mars and J.W. Rector III to the authors	2	611
"Migration by Fourier transform," (R.H. Stolt) by S. Dutta with reply by the author	5	1583
"Pulse distortion in depth migration," (M. Tygel, J. Schleicher, and P. Hubral) by A.E. Barnes with reply by the authors, and response to the reply by A.E. Barnes	6	1942
"Pulse distortion in depth migration," (M. Tygel, J. Schleicher, and P. Hubral) by N.L. Mohan	6	1947
"3-D seismic case history evaluating fluvially deposited thin-bed reservoirs in a gas-producing property (B.A. Hardage, R.A. Levy, V. Pendleton, J. Simmons, and R. Edsen) by M.M. Roksandic with reply by the authors	5	1585
"3-D true-amplitude finite-offset migration," J. Schleicher, M. Tygel, and P. Hubral (August 1993, p. 1112-1126) by G.J.O. Vermeer with reply by the authors	3	921

	Issue	Page
Disperative-wave processing technique for estimating formation shear velocity from dipole and Stoneley waveforms, X.M. Tang, E.C. Reiter, and D.R. Burns	1	19
Distortion in resistivity logging at shallow depth, T.-C. Lee and B.N. Damiata	4	1058
Dong, W., Borehole seismic-source radiation in layered isotropic and anisotropic media: Boundary element analysis	3	735
Dong, W., Borehole seismic-source radiation in layered isotropic and anisotropic media: Real-data analysis	3	748
Dong, W., Borehole seismic-source radiation pattern in transversely isotropic media	1	29
Dong, Z., 3-D viscoelastic anisotropic modeling of data from a multicomponent, multiazimuth seismic experiment in northeast Texas	4	1128
Drijkoningen, G.G., see Blonk, B.	6	1897
Drufuca, G., Ambiguities in AVO inversion of reflections from a gas-sand	1	134
Duckworth, K., Examination of the relationship between time-domain integral chargeability and the Cole-Cole impedance model	4	1249
Duncan, G., Some analyses of 2-D median f-k filters	4	1157
Duren, R.E., General solutions and causality for a Voigt medium	1	252
Durrani, T.S., see Woodham, C.A.	4	1088
Durrani, T.S., see Woodham, C.A.	5	1451
Dvorkin, J., Squirt flow in fully saturated rocks	1	97
Eager, J., see Lines, L.	2	354
Effect of steam quality on the electrical behavior of steam-flooded sands: A laboratory study, D.B. Butler and R.J. Knight	4	998
Efficient computation of apparent resistivity curves for depth profiling of a layered earth, U.C. Das and A.T. de Hoop	6	1691

	Issue	Page
Efficient synthetic-seismogram generation in transversely isotropic, inhomogeneous media, T. Alkhalifah	4	1139
Ekren, B.O., see Ursin, B.	2	317
Elastodynamic inverse scattering method for removing scattered surface waves from field data, B. Blonk, G.C. Herman, and G.G. Drijkoningen	6	1897
Elimination of harmonic distortion in vibroseis data, X.-P. Li, W. Söllner, and P. Hubral	2	503
Elimination of numerical dispersion in finite-difference modeling and migration by flux-corrected transport, T. Fei and K. Larner	6	1830
Ellis, R.G., see Spies, B.R.	3	886
Errata to:		
"Instructions to Authors," (January-February, 1995, p. 5)	2	613
"Low- and high-frequency radiation from seismic sources in cased boreholes" (November, 1994, p. 1782)	3	923
"*Q*-factor approximation of electromagnetic fields for high-frequency sounding in the 300 kHz to 30 MHz range over layered media" (July-August, 1995, p. 1253)	6	1949
Error analysis for the seismic PDA tracker, C.A. Woodham, W.A Sandham, and T.S. Durrani	5	1451
Estimation of anisotropy and anisotropic 3-D prestack depth migration, offshore Zaire, G. Ball	5	1495
Estimation of sea-floor wave velocities and density from pressure and particle velocity by AVO analysis, L. Amundsen and A. Reitan (Short Note)	5	1575
Examination of the optimum *XY* value by ray tracing, T.M. Leung	4	1151
Examination of the relationship between time-domain integral chargeability and the Cole-Cole impedance model, K. Duckworth and H.T. Calvert (Short Note)	4	1249
Experimental observation of surface wave propagation for a transversely isotropic medium, C.-H. Chang, G.H.F. Gardner, and J.A. McDonald	1	185
Exploration of a lignite-bearing basin in Northern Ireland using ground magnetic and VLF-EM methods, R.J. McCaffrey, W.J. McElroy, and A.G. Leslie	2	408
Extraction of *P*- and *S*-waves from the vertical component of the particle velocity at the sea floor, L. Amundsen and A. Reitan	1	231
Extraction of the normal component of the particle velocity from marine pressure data, L. Amundsen, B. Secrest, and B. Arntsen	1	212
Fei, T., Elimination of numerical dispersion in finite-difference modeling and migration by flux-corrected transport	6	1830
Feldman, H.R., see Miller, R.D.	2	423
Field investigation of source parameters for the sledgehammer, D.A. Keiswetter and D.W. Steeples	4	1051
Field trials of a seismoelectric method for detecting massive sulfides, A.W. Kepic, M. Maxwell, and R.D. Russell	2	365
Finite-difference modeling of faults and fractures, R.T. Coates and M. Schoenberg	5	1514
Fitzgerald, G.N., see Lee, D.S.	3	727
Fluid substitution: Estimating changes in V_P without knowing V_S, G. Mavko, C. Chan, and T. Mukerji	6	1750
Focused resolution of thin conducting layers by various dipole EM systems, S.K. Verma and S.P. Sharma	2	381
Footprint/altitude ratio for helicopter electromagnetic sounding of sea-ice thickness: Comparison of theoretical and field estimates, A. Kovacs, J.S. Holladay, and C.J. Bergeron, Jr.	2	374
Forbidden directions for inhomogeneous pure shear waves in dissipative anisotropic media, J.M. Carcione and F. Cavallini	2	522
Fournier, F., Statistical methodology for deriving reservoir properties from seismic data	5	1437
Franseen, E.K., see Miller, R.D.	2	423
Frequency- and time-domain electromagnetic responses of layered earth: A multiseparation, multisystem approach, U.C. Das (Short Note)	1	285
Frequency dependent *Q*-estimation of Love-type channel waves and the application of *Q*-correction to seismograms, X.-P. Li, W. Schott, and H. Rüter	6	1773
Frequency-domain acoustic-wave modeling and inversion of crosshole data: Part 1—2.5-D modeling method, Z.M. Song and P.R. Williamson	3	784
Frequency-domain acoustic-wave modeling and inversion of crosshole data: Part 2—Inversion method, synthetic experiments, and real-data results, Z.M. Song, P.R. Williamson, and R.G. Pratt	3	796
Frequency-time decomposition of seismic data using wavelet-based methods, A. Chakraborty and D.A. Okaya	6	1906
Furumura, T., Wraparound elimination technique for the pseudospectral wave synthesis using an antiperiodic extension of the wavefield (Short Note)	1	302
Gardner, G.H.F., see Chang, C.-H.	1	185
Garcia-Abdelsem, Inversion of the power spectrum from gravity anomalies of prismatic bodies	6	1698
Gaussian beam depth migration for anisotropic media, T. Alkhalifah	5	1474
Gelius, L.-J., Limited-view diffraction tomography in a nonuniform background	2	580
General formulation of the electric stratified problem with a boundary integral equation, A. Straub	6	1656
General solutions and causality for a Voigt medium, R.E. Duren and R.L. Heestand	1	252
Generalized gravity gradient analysis for 2-D inversion, D.K. Butler	4	1018
Generalized *SH*-wave equation, J.M. Carcione and F. Cavallini	2	549
Geometrical-spreading and ray-caustic decomposition of elementary seismic waves, P. Hubral, M. Tygel, and J. Schleicher	4	1195
Geophysical prospecting for petroleum in marine carbonate areas of the lower Yangtze region of southern China, D. Deng and Q. Ou	5	1306
Godfrey, N., see Mavko, G.	4	1081
Gómez-Treviño, E., Uneven effect of random noise in magnetotelluric apparent resistivity		

	Issue	Page
definitions (Short Note)	4	1238
Gravity source moment inversion: A versatile approach to characterize position and 3-D orientation of anomalous bodies, W.E. Medeiros and J.B.C. Silva	5	1342
Greenfield, R.J., see Rechtien, R.D.	1	76
Greenhalgh, S.A., Orientation of a downhole triaxial geophone (Short Note)	4	1234
Gubbins, D., see Mao, W.	2	491
Guerendel, P., see Lines, L.	2	354
Guinzy, N.J., see Mathisen, M.E.	3	631
Guinzy, N.J., see Mathisen, M.E.	3	651
Habashy, T.M., see Spies, B.R.	3	834
Haldorsen, J.B.U., Walk-away VSP using drill noise as a source	4	978
Halpenny, J.F., Airborne gravity tests over Lake Ontario	1	61
Harris, J.M., High-resolution crosswell imaging of a west Texas carbonate reservoir: Part 1—Project summary and interpretation	3	667
Harris, J.M., see Lazaratos, S.L.	3	702
Harris, J.M., see Lines, L.	2	354
Harris, J.M., see Michelena, R.J.	3	774
Harris, J.M., see Nolen-Hoeksema, R.C.	3	712
Harris, J.M., see Rector, J.W., III	3	692
Harris, J.M., see Van Schaack, M.	3	682
Hassanzadeh, S., see Zhou, C.	3	765
Heat flow and gravity responses over salt bodies: A comparative model analysis, J. Corrigan and M. Sweat	4	1029
Heestand, R.L., see Duren, R.E.	1	252
Herman, G.C., see Blonk, B.	6	1897
High-resolution crosswell imaging of a west Texas carbonate reservoir: Part 1—Project summary and interpretation, J.M. Harris, R.C. Nolen-Hoeksema, R.T. Langan, M. Van Schaack, S.K. Lazaratos, and J.W. Rector III	3	667
High-resolution crosswell imaging of a west Texas carbonate reservoir: Part 2—Wavefield modeling and analysis, M. Van Schaack, J.M. Harris, S.K. Lazaratos, and J.W. Rector III	3	682
High-resolution crosswell imaging of a west Texas carbonate reservoir: Part 3—Wavefield separation of reflections, J.W. Rector III, S.K. Lazaratos, J.M. Harris, and M. Van Schaack	3	692
High-resolution crosswell imaging of a west Texas carbonate reservoir: Part 4—Reflection imaging, S.K. Lazaratos, J.M. Harris, J.W. Rector III, and M. Van Schaack	3	702
High-resolution crosswell imaging of a west Texas carbonate reservoir: Part 5—Core analysis, R.C. Nolen-Hoeksema, Z. Wang, J.M. Harris, R.T. Langan	3	712
High-resolution crosswell seismic experiment with a large interwell spacing in a west Texas carbonate field, D.S. Lee, S.K. Lazaratos, G.N. Fitzgerald, and T. Imayoshi	3	727
High-resolution velocity gathers and offset space reconstruction, M.D. Sacchi and T.J. Ulrych	4	1169
Hohmann, G.W., see Pellerin, L.	1	43
Hohmann, G.W., see Wang, T. (Short Note)	4	1265
Hokstad, K., see Mittet, R.	4	968
Hokstad, K., see Mittet, R.	5	1485
Holladay, J.S., see Kovacs, A.	2	374
Horizontal acceleration corrections in airborne gravimetry, C.J. Swain (Short Note)	6	000
Hovem, J.M., Acoustic waves in finely layered media	4	1217
Huang, K.-Y., Recognition of Ricker wavelets by syntactic analysis	5	1541
Hubral, P., Geometrical-spreading and ray-caustic decomposition of elementary seismic waves	4	1195
Hubral, P., see Li, X.-P.	2	503
Igel, H., Anisotropic wave propagation through finite-difference grids	4	1203
Imaging of fracture zones in the Finnsjon area, central Sweden, using the seismic reflection method, C. Juhlin	1	66
Imaging the permeability structure of a limestone aquifer by crosswell acoustic tomography, T. Yamamoto, T. Nye, and M. Kuru	6	1634
Imayoshi, T., see Lee, D.S.	3	727
Improved Fourier terrain correction, Part I, R.L. Parker	4	1007
Index to Volume 60	6	1957
Information on elastic parameters obtained from the amplitudes of reflected waves, W. Dębski and A. Tarantola	5	1426
Instructions to authors	1	3
Integrated reservoir characterization: Beyond tomography, L. Lines, H. Tan, S. Treitel, J. Beck, R. Chambers, J. Eager, C. Savage, J. Queen, W. Rizer, P. Buller, D. Cox, J. Sinton, J. Ballard, G. Kokkoros, A. Track, P. Guerendel, J. Harris, S. Lazaratos, and M. Van Schaak	2	354
Intellectual property		
2 614	4	1270
3 925	5	1593
Interpolation of potential-field data by equivalent layer and minimum curvature: A comparative analysis, C.A. Mendonça and J.B.C. Silva	2	399
Inversion of reflection traveltimes for transverse isotropy, I. Tsvankin and L. Thomsen	4	1095
Inversion of the power spectrum from gravity anomalies of prismatic bodies, J. Garcia-Abdeslem	6	1698
Investigating the resolution of IP arrays using inverse theory, L.P. Beard and A.C. Tripp	5	1326
Jacewitz, C.A., see Chavent, G.	2	476
Jeng, Y., Shallow seismic investigation of a site with poor reflection quality	6	1715
Jiang, Y., see Zhong, B.	2	517
Jones, F.W., Numerical calculations of the thermal conductivities of composites: A 3-D model	4	1038
Johnston, P.F., see Lee, D.S.	3	660
Juhlin, C., Imaging of fracture zones in the Finnsjon area, central Sweden, using the seismic reflection method	1	66
Jurado, F., 1-D layered media: Part 1, 3-D elastic modeling	6	1843
Jurado, F., 1-D layered media: Part 2, Layer-based waveform inversion	6	1857
Justice, J.F., see, Mathisen, M.E.	3	631
Justice, J.F., see, Mathisen, M.E.	3	651

	Issue	Page
Kanasewich, E.R., see Dai, N.	2	327
Keiswetter, D.A., A field investigation of source parameters for the sledgehammer	4	1051
Kepic, A.W., Field trials of a seismoelectric method for detecting massive sulfides	2	365
Kinman, D.L., see Ross, C.P.	5	1398
Klimentos, T., Attenuation of *P*- and *S*-waves as a method of distinguishing gas and condensate from oil and water	2	447
Kneib, G., Viscoacoustic wave propagation in 2-D random media and separation of absorption and scattering attenuation	2	459
Knight, R.J., see Butler, D.B.	4	998
Knight, R.J., Rock/water interaction in dielectic properties: Experiments with hydrophobic sandstones	2	431
Kokkoros, G., see Lines, L.	2	354
Kovacs, A., Footprint/altitude ratio for helicopter electromagnetic sounding of sea-ice thickness: Comparison of theoretical and field estimates	2	374
Kuru, M., see Yamamoto, T.	6	1634
Landrø, M., see Langhammer, J.	6	1765
Langan, R.T., see Nolen-Hoeksema, R.C.	3	667
Langan, R.T., see Nolen-Hoeksema, R.C.	3	712
Langhammer, J., Air-gun bubble damping by a screen	6	1765
Larner, K., see Fei, T.	6	1830
Lateral prediction for noise attenuation by *t-x* and *f-x* techniques, R. Abma and J. Claerbout	6	1887
Lawler, T.L., see Spector, A.	6	1704
Lawton, D.C., see Chung, H.-M.	1	223
Lazaratos, S.K., High-resolution crosswell imaging of a west Texas carbonate reservoir: Part 4—Reflection imaging	3	702
Lazaratos, S.K., see Harris, J.M.	3	667
Lazaratos, S.K., see Lee, D.S.	3	727
Lazaratos, S.K., see Lee, D.S.	3	758
Lazaratos, S.K., see Lines, L.	2	354
Lazaratos, S.K., see Rector, J.W., III	3	692
Lazaratos, S.K., see Van Schaack, M.	3	682
Least-squares deconvolution of apparent resistivity pseudosections, M.H. Loke and R.D. Barker	6	1682
Least-squares minimization approach to depth determination from numerical horizontal gravity gradients, E.-S.M. Abdelrahman and S.M. Sharafeldin (Short Note)	4	1259
Least-squares minimization approach to shape determination from gravity data, E.-S.M. Abdelrahman and S.M. Sharafeldin (Short Note)	2	589
Lee, D.S., Crosswell seismic study in a seismically poor data area	3	758
Lee, D.S., High-resolution crosswell seismic experiment with a large interwell spacing in a west Texas carbonate field	3	727
Lee, D.S., Time-lapse crosswell seismic tomography to characterize flow structure in the reservoir during the thermal stimulation	3	660
Lee, K.H., see Wilt, M.J.	3	871
Lee, T.-C., Distortion in resistivity logging at shallow depth	4	1058
Leslie, A.G., see McCaffrey, R.J.	2	408
Leu, D.-R., see Huang, K.-Y	5	1541
Leung, T.M., Examination of the optimum *XY* value by ray tracing	4	1151
Li, X.-P., Elimination of harmonic distortion in vibroseis data	2	503
Li, X.-P., Frequency dependent *Q*-estimation of Love-type channel waves and the application of *Q*-correction to seismograms	6	1773
Limited-view diffraction tomography in a nonuniform background, L.-J. Gelius	2	580
Linear inversion of gravity data for 3-D density distributions, G.W. Bear, H.J. Al-Shukri, and A.J. Rudman	5	1354
Liner, C.L., Some analytic aspects of a 2.5-D wave equation	5	1536
Lines, L., Integrated reservoir characterization: Beyond tomography	2	354
Linville, A.F., Procedure for optimally removing localized coherent noise	1	191
List, D.F., see Mahrer, K.D.	2	413
Liu, X., see, Zhong, B.	2	517
Liu, Z., Migration velocity analysis: Theory and an iterative algorithm	1	142
Loke, M.H., Least-squares deconvolution of apparent resistivity pseudosections	6	1682
Loukoyiannakis, M.Z., see Tsokas, G.N.	6	1735
Lucet, N., see Mukerji, T.	4	1222
Luo, Y., see Zhou, C.	3	765
Mackie, R.L., see Zhang, J.	5	1313
Madden, T.R., see Zhang, J.	5	1313
Mahrer, K.D., Radio frequency electromagnetic tunnel detection and delineation at the Otay Mesa site	2	413
Majer, E.L., see Vasco, D.W.	6	1790
Mallick, S., Model-based inversion of amplitude-variations-with-offset data using a genetic algorithm	4	939
Mao, W., Simultaneous determination of time delays and stacking weights in seismic array beamforming	2	491
Martin, J., see Langhammer, J.	6	1765
Mason, I.M., see Greenhalgh, S.A.	4	1234
Mathisen, M.E., Crosswell seismic radial survey tomograms and the 3-D interpretation of a heavy oil steamflood	3	651
Mathisen, M.E., Time-lapse crosswell seismic tomogram interpretation: Implications for heavy oil reservoir characterization, thermal recovery process monitoring, and tomographic imaging technology	3	631
Mavko, G., Fluid substitution: Estimating changes in V_P without knowing V_S	6	1750
Mavko, G., Predicting stress-induced velocity anisotropy in rocks	4	1078
Mavko, G., Seismic pore space compressibility and Gassmann's relation	6	1743
Mavko, G., see Dvorkin, J.	1	97
Mavko, G., see Mukerji, T.	4	1222
Maxwell, M., see Kepic, A.W.	2	365
Mazzotti, A., see Drufuca, G.	1	134
McCaffrey, R.J., Exploration of a lignite-bearing basin in Northern Ireland using ground magnetic and VLF-EM methods	2	408
McCann, C., see Best, A.I.	5	1386
McDonald, J.A., see Chang, C.-H.	1	185

	Issue	Page
McElroy, W.J., see McCaffrey, R.J.	2	408
McMechan, G.A., see Cai, J.	1	87
McMechan, G.A., see Dong, Z.	4	1128
McMechan, G.A., see Rajasekaran, S.	6	1875
McMechan, G.A., see Xu, T.	6	1805
McMechan, G.A., see Zeng, X.	6	1727
Medeiros, W.E., Gravity source moment inversion: A versatile approach to characterize position and 3-D orientation of anomalous bodies	5	1342
Medeiros, W.E., Simultaneous estimation of total magnetization direction and 3-D spatial orientation	5	1365
Meek, R.A., see Linville, A.F.	1	191
Mendonça, C.A., Interpolation of potential-field data by equivalent layer and minimum curvature: A comparative analysis	2	399
Miao, X.G., Multioffset, three-component VSP study in the Sudbury Basin	2	341
Michelena, R.J., Crosswell tomographic estimation of elastic constants in heterogeneous transversely isotropic media	3	774
Migration velocity analysis: Accounting for the effects of lateral velocity variations, H.J. Tieman	1	164
Migration velocity analysis: Theory and an iterative algorithm, Z. Liu and N. Bleistein	1	142
Milkereit, B., see Miao, X.G.	2	341
Miller, D.E., see Haldorsen, J.B.U.	4	978
Miller, R.D., Vertical resolution of a seismic survey in stratigraphic sequences less than 100 m deep in southeastern Kansas	2	423
Mittet, R., Prestack depth migration with compensation for absorption and dispersion	5	1485
Mittet, R., Transforming walk-away VSP data into reverse VSP data	4	968
Model-based inversion of amplitude-variations-with-offset data using a genetic algorithm, S. Mallick	4	939
Modeling of a constant Q: Methodology and algorithm for an efficient and optimally inexpensive viscoelastic technique, J.O. Blanch, J.O.A. Robertsson, and W.W. Symes	1	176
Mohan, N.L., Analysis of 3-D analytic signal	2	531
Moon, W.M., see Miao, X.G.	2	341
Mondragón, M., see Gómez-Treviño, E. (Short Note)	4	1238
Mora, P. see Igel, H.	4	1203
Morrison, H.F., see Alumbaugh, D.L.	3	846
Morrison, H.F., see Wilt, M.I.	3	871
Mufti, I.R., Pitfalls in crosshole seismic interpretation as a result of 3-D effects	3	821
Muir, F., see Michelena, R.J.	3	774
Mujica, D., see Mukerji, T.	4	1222
Mukerji, T., Scale-dependent seismic velocity in heterogeneous media	4	1222
Mukerji, T., see Mavko, G.	4	1081
Mukerji, T., see Mavko, G.	6	1743
Mukerji, T., see Mavko, G.	6	1750
Mullen, C.E., see Lee, D.S.	3	660
Multioffset, three-component VSP study in the Sudbury Basin, X.G. Miao, W.M. Moon, and B. Milkereit	2	341
Multiscale seismic waveform inversion, C. Bunks, F.M. Saleck, S. Zaleski, and G. Chavent	5	1457
Nekut, A.G., Crosswell electromagnetic tomography in steel-cased wells	3	912
New strategy for CCP stacking, B. Zhong, X. Zhou, X. Liu, and Y. Jiang	2	517
Newman, G.A., Crosswell electromagnetic inversion using integral and differential equations	3	899
Nolen-Hoeksema, R.C., High-resolution crosswell imaging of a west Texas carbonate reservoir: Part 5—Core analysis	3	712
Nolen-Hoeksema, R.C., see Harris, J.M.	3	667
Nonbright-spot AVO: Two examples, C.P. Ross and D.L. Kinman	5	1398
Noponen, I.T., Velocity computation from checkshot surveys in deviated wells (Short Note)	6	1930
Normal moveout from dipping reflectors in anisotropic media, I. Tsvankin	1	268
Numerical calculations of the thermal conductivities of composites: A 3-D model, F.W. Jones and F. Pascal	4	1038
Nur, A., see Dvorkin, J.	1	97
Nye, T., see Yamamoto, T.	6	1634
Okaya, D.A., Spectral properties of the earth's contribution to seismic resolution	1	241
Okaya, D.A., see Chakraborty, A.	6	1906
On the distribution of seismic reflection coefficients and seismic amplitudes, S. Painter, G. Beresford, and L. Paterson	4	1187
1-D layered media: Part 1, 3-D elastic modeling, F. Jurado, M. Cuer, and V. Richard	6	1843
1-D layered media: Part 2, Layer-based waveform inversion, F. Jurado, M. Cuer, and V. Richard	6	1857
Optimal absorbing boundary condition for elastic wave modeling, C. Peng and M.N. Toksöz (Short Note)	1	296
Orientation of a downhole triaxial geophone, S.A. Greenhalgh and I.M. Mason (Short Note)	4	1234
Ou, Q., Advances of geophysical prospecting for petroleum in marine carbonate areas of the upper Yangtze region, southern China	5	1295
Ou, Q, see Deng, D.	5	1306
Owusu, J.C., VSP normal moveout stretch (Short Note)	5	1579
Paal, E.F., see Schneider, W.A., Jr.	2	573
Painter, G., On the distribution of seismic reflection coefficients and seismic amplitudes	4	1187
Palacharla, G., see Bevc, D.	4	1038
Papazachos, C.B., see Tsokas, G.N.	6	1735
Papers from other journals		
	3	930
	5	1598
Parametric study of the vertical electric source, L. Pellerin and G.W. Hohmann	1	43
Park, C., Simple time-variant, band-pass filtering by operator scaling	5	1527
Parker, R.L., Improved Fourier terrain correction, Part I	4	1007
Pascal, F., see Jones, F.W.	4	1038

	Issue	Page
Passive seismic imaging using microearthquakes, M.R. Daneshvar, C.S. Clay, and M.K. Savage	4	1178
Paterson, L., see Painter, S.	4	1187
Pawlowski, R.S., Preferential continuation for potential-field anomaly enhancement	2	390
Pellerin, L., Parametric study of the vertical electric source	1	43
Peng, C., Optimal absorbing boundary condition for elastic wave modeling (Short Note)	1	296
Peterson, J.E. Jr., see Vasco, D.W.	6	1790
Phillip, L.D., see Schneider, W.A., Jr.	2	573
Pitfalls in crosshole seismic interpretation as a result of 3-D effects, I.R. Mufti	3	821
Plumes: Response of time migration to lateral velocity variation, D. Bevc, J.L. Black, and G. Palacharla	4	1118
Pratt, R.G., see Brittan, J. (Short Note)	4	1243
Pratt, R.G., see Song, Z.M.	3	796
Pratt, R.G., see Williamson, P.R. (Short Note)	2	591
Predicting stress-induced velocity anisotropy in rocks, G. Mavko, T. Mukerji, and N. Godfrey	4	1081
Prediction of elastic-wave velocities in sandstones using structural models, S. Bryant and S. Raikes	2	437
Preferential continuation for potential-field anomaly enhancement, R.S. Pawlowski	2	390
Prestack depth migration with compensation for absorption and dispersion, R. Mittet, R. Sollie, and K. Hokstad	5	1485
Prestack migration using arrival angle information, T. Takahashi	1	154
Prestack processing of land data with complex topography, S. Rajasekaran and G.A. McMechan	6	1875
Procedure for optimally removing localized coherent noise, A.F. Linville and R.A. Meek	1	191
Properties of the kernel function in electric stratified problems, A. Straub	6	1671
Q-factor approximation of electromagnetic fields for high-frequency sounding in the 300 kHz to 30 Mhz range over layered media, W.L. Anderson (Short Note)	4	1253
Queen, J., see Lines, L.	2	354
Radio frequency electromagnetic tunnel detection and delineation at the Otay Mesa site, K.D. Mahrer and D.F. List	2	413
Raikes, S., see Bryant, S.	2	437
Rajasekaran, S., Prestack processing of land data with complex topography	6	1875
Ray-based synthesis of bistatic ground-penetrating radar profiles, J. Cai and G.A. McMechan	1	87
Rechtien, R.D., Tunnel signature prediction for a cross-borehole seismic survey	1	76
Rechtien, R.D., see Clippard, J.D.	4	1283
Recognition of Ricker wavelets by syntactic analysis, K.-Y Huang and D.-R. Leu	5	1541
Recognizing surface scattering in ground-penetrating radar data, J. Sun and R.A. Young	5	1378
Rector, J.W. III, Crosswell methods: Where are we, where are we going?	3	629
Rector, J.W., III, High-resolution crosswell imaging of a west Texas carbonate reservoir: Part 3—Wavefield separation of reflections	3	692
Rector, J.W., III, see Harris, J.M.	3	667
Rector, J.W., III, see Lazaratos, S.K.	3	702
Rector, J.W., III, see Van Schaack, M.	3	682
Reitan, A., see Amundsen, L.	1	231
Reitan, A., see Amundsen, L.	2	563
Reitan, A., see Amundsen. L. (Short Note)	5	1575
Reiter, E.C., see Tang, X.M.	1	19
Richard, V., see Jurado, F.	6	1843
Richard, V., see Jurado, F.	6	1857
Riolett, B., see Igel, H.	4	1208
Rizer, W., see Lines, L.	2	354
Robertsson, J.O.A., see Blanch, J.O.	1	176
Robust and efficient upwind finite-difference traveltime calculations in three-dimensions, W.A. Schneider, Jr.	4	1108
Robust AVO analysis, B. Ursin and B.O. Ekren	2	317
Rock/water interaction in dielectic properties: Experiments with hydrophobic sandstones, R.J. Knight and A. Abad	2	431
Ross, C.P., Nonbright-spot AVO: Two examples	5	1398
Rudman, A.J., see, Bear, G.W.	5	1354
Russell, R.D., see Kepic, A.W.	2	365
Rüter, H., see Li, X.-P.	6	1773
Sacchi, M.D., High-resolution velocity gathers and offset space reconstruction	4	1169
Saleck, F.M., see Bunks, C.	5	1457
Sams, M.S., Attenuation and anisotropy: The effect of extra fine layering	6	1646
Sandham, W.A., see Woodham, C.A.	4	1088
Sandham, W.A., see Woodham, C.A.	5	1451
Savage, C., see Lines, L.	2	354
Savage, M.K., see Daneshvar	4	1178
Sayers, C.M., Simplified anisotropy parameters for transversely isotropic sedimentary rocks (Short Note)	6	1933
Sayers, C.M., see Schoenberg, M.	1	204
Scale-dependent seismic velocity in heterogeneous media, T. Mukerji, G. Mavko, D. Mujica, and N. Lucet	4	1222
Schleicher, J., see Hubral, P.	4	1195
Schneider, W.A., Jr., Robust and efficient upwind finite-difference traveltime calculations in three-dimensions	4	1108
Schneider, W.A., Jr., Wave-equation velocity replacement of the low-velocity layer for overthrust-belt data	2	573
Schoenberg, M., Seismic anisotropy of fractured rock	1	204
Schoenberg, M., see Coates, R.T.	5	1514
Schott, W., see Li, X.-P.	6	1773
Schuster, G.T., see Zhou, C.	3	765
Secrest, B., see Amundsen, L.	1	212
Seismic anisotropy of fractured rock, M. Schoenberg and C.M. Sayers	1	204
Seismic attenuation and pore-fluid viscosity in clay rich reservoir sandstones, A.I. Best and C. McCann	5	1386
Seismic pore space compressibility and Gassmann's relation, G. Mavko and T. Mukerji	6	1743
Sensitivity analysis of crosswell electromagnetics, B.R. Spies and T.M. Habashy	3	834

	Issue	Page
Shallow seismic investigation of a site with poor reflection quality, Y. Jeng	6	1715
Shapiro, S.A., see Kneib, G.	2	459
Sharafeldin, S.M., see Abdelrahman, E.-S.M. (Short Note)	2	589
Sharfeldin, S.M., see Abdelrahman, E.-S.M. (Short Note)	4	1259
Sharma, S.P., see Verma, S.K.	2	381
Shaw, J., see Mathisen, M.E.	3	631
Shaw, J., see Mathisen, M.E.	3	651
Shin, C., Sponge boundary condition for frequency domain modeling	6	1870

Short Notes

Analytical solution of the borehole resistivity casing problem, J.R. Wait	4	1261
Anisotropic parameters of layered media in terms of composite elastic properties, J. Brittan, M. Warner, and G. Pratt	4	1243
Block iterative algorithm for 3-D electromagnetic modeling using integral equations with symmetrized substructures, Z. Xiong and A.C. Tripp	1	291
Critical review of acoustic wave modeling procedures in 2.5 dimensions, P.R. Williamson and R.G. Pratt	2	591
Estimation of sea-floor wave velocities and density from pressure and particle velocity by AVO analysis, L. Amundsen and A. Reitan	5	1575
Examination of the relationship between time-domain integral chargeability and the Cole-Cole impedance model, K. Duckworth and H.T. Calvert	4	1249
Frequency- and time-domain electromagnetic responses of layered earth: A multiseparation, multisystem approach, U.C. Das	1	285
Least-squares minimization approach to depth determination from numerical horizontal gravity gradients, E.-S.M. Abdelrahman and S.M. Sharafeldin	4	1259
Least-squares minimization approach to shape determination from gravity data, E.-S.M. Abdelrahman and S.M. Sharafeldin	2	589
Optimal absorbing boundary condition for elastic wave modeling, C. Peng and M.N. Toksöz	1	296
Orientation of a downhole triaxial geophone, S.A. Greenhalgh and I.M. Mason	4	1234
Q-factor approximation of electromagnetic fields for high-frequency sounding in the 300 kHz to 30 MHz range over layered media, W.L. Anderson	4	1253
Simplified anisotropy parameters for transversely isotropic sedimentary rocks, C.M. Sayers	6	1933
Studying the TEM response of a 3-D conductor at a geological contact using the FDTD method, T. Wang, A.C. Tripp, and G.W. Hohmann	4	1265
Uneven effect of random noise in magnetotelluric apparent resistivity definitions, E. Gómez-Treviño and M. Mondragón	4	1238
Velocity computation from checkshot surveys in deviated wells, I.T. Noponen	6	1930
VSP normal moveout stretch, J.C. Owusu and T.W. Spencer	5	1579
Wraparound elimination technique for the pseudospectral wave synthesis using an antiperiodic extension of the wavefield, T. Furumura and H. Takenaka	1	302

Silva, J.B.C., see Medeiros, W.E.	5	1342
Silva, J.B.C., see Medeiros, W.E.	5	1365
Silva, J.B.C., see Mendonça, C.A.	2	399
Simple, effective-medium model for water saturation in porous rocks, C.R. Berg	4	1070
Simple time-variant, band-pass filtering by operator scaling, C. Park and R.A. Black	5	1527
Simplified anisotropy parameters for transversely isotropic sedimentary rocks, C.M. Sayers (Short Note)	6	1933
Simultaneous estimation of total magnetization direction and 3-D spatial orientation, W.E. Medeiros and J.B.C. Silva	5	1365
Simultaneous determination of time delays and stacking weights in seismic array beamforming, W. Mao and D. Gubbins	2	491
Sinton, J., see Lines, L.	2	354
Soil-embedded detector mount for seismic monitoring, D.P. Blair	1	120
Sollie, R., see Mittet, R.	5	1485
Söllner, W., see Li, X.-P.	2	503
Some analyses of 2-D median *f-k* filters, G. Duncan and G. Beresford	4	1157
Some analytic aspects of a 2.5-D wave equation, C.L. Liner	5	1536
Song, Z.M., Frequency-domain acoustic-wave modeling and inversion of crosshole data: Part 1—2.5-D modeling method	3	784
Song, Z.M., Frequency-domain acoustic-wave modeling and inversion of crosshole data: Part 2—Inversion method, synthetic experiments, and real-data results	3	796
Sonic logging of compressional-wave velocities in a very slow formation, B.W. Tichelaar and K.W. van Luik	6	1627
Sorin, V., Accuracy study of velocity estimation in 3-D layered models	5	1567

Special Report

"Shell processing support format for land 3-D surveys", SEG Subcommittee on Ancillary Data Formats	2	596
Spector, A., Application of aeromagnetic data to mineral potential evaluation in Minnesota	6	1704
Spectral properties of the earth's contribution to seismic resolution, D.A. Okaya	1	241
Spencer, T.W., see Owusu, J.C. (Short Note)	5	1579
Spies, B.R., Cross-borehole resistivity tomography of a pilot-scale, in-situ vitrification test	3	886
Spies, B.R., Sensitivity analysis of crosswell electromagnetics	3	834
Sponge boundary condition for frequency domain modeling, C. Shin	6	1870

	Issue	Page
Squirt flow in fully saturated rocks, J. Dvorkin, G. Mavko, and A. Nur	1	97
Statistical methodology for deriving reservoir properties from seismic data, F. Fournier and J.-F. Derain	5	1437
Steeples, D.W., see Keiswetter, D.A.	4	1051
Stefani, J.P., Turning-ray tomography	6	1917
Stevenson, V.M., see Lee, D.S.	3	660
Stockwell, J.W., Jr., 2.5-D wave equations and high-frequency asymptotics	2	556
Straub, A., General formulation of the electric stratified problem with a boundary integral equation	6	1656
Straub, A., Properties of the kernel function in electric stratified problems	6	1671
Studying the TEM response of a 3-D conductor at a geological contact using the FDTD method, T. Wang, A.C. Tripp, and G.W. Hohmann (Short Note)	4	1265
Subsurface fault detection using seismic data for hazardous-waste-injection well permitting: An example from St. John the Baptist Parish, Louisiana, E.V. Zinni	2	468
Sun, J., Recognizing surface scattering in ground-penetrating radar data	5	1378
Sun, J., 3-D crosswell transmissions: Paraxial ray solutions and reciprocity paradox	3	810
Sun, R., see Xu, T.	6	1805
Sundararajan, N., 2-D Hartley transforms	1	262
Sweat, M. see Corrigan, J.	4	1029
Symes, W.W., see Blanch, J.O.	1	176
Takahashi, T., Prestack migration using arrival angle information	1	154
Takenaka, H., see Furumura, T. (Short Note)	1	302
Tan, H., see Lines, L.	2	354
Tang, X.M., Disperative-wave processing technique for estimating formation shear velocity from dipole and Stoneley waveforms	1	19
Tarantola, A., see Debski, W.	5	1426
Theoretical and practical considerations for crosswell electromagnetic tomography assuming a cylindrical geometry, D.L. Alumbaugh and H.F. Morrison	3	846

This Issue of GEOPHYSICS

1	1	4	937
2	315	5	1281
3	627	6	1625

Thomsen, L., see Tsvankin, I.	4	1095
3-D crosswell transmissions: Paraxial ray solutions and reciprocity paradox, J. Sun	3	810
3-D prestack full-wavefield inversion, T. Xu, G.A. McMechan, and R. Sun	6	1805
3-D resistivity forward modeling and inversion using conjugate gradients, J. Zhang, R.L. Mackie, and T.R. Madden	5	1313
3-D seismic tracking with probabilistic data association, C.A. Woodham, W.A. Sandham, and T.S. Durrani	4	1088
3-D viscoelastic anisotropic modeling of data from a multicomponent, multiazimuth seismic experiment in northeast Texas, Z. Dong and G.A. McMechan	4	1128
Tichelaar, B.W., Sonic logging of compressional-wave velocities in a very slow formation	6	1627
Tieman, H.J., Migration velocity analysis: Accounting for the effects of lateral velocity variations	1	16
Time-lapse crosswell seismic tomogram interpretation: Implications for heavy oil reservoir characterization, thermal recovery process monitoring, and tomographic imaging technology, M.E. Mathisen, A.A. Vassiliou, P.S. Cunningham, J. Shaw, J.H. Justice, and N.J. Guinzy	3	631
Time-lapse crosswell seismic tomography to characterize flow structure in the reservoir during the thermal stimulation, D.S. Lee, V.M. Stevenson, P.F. Johnston, and C.E. Mullen	3	660
Toksöz, M.N., see Dong, W.	1	29
Toksöz, M.N., see Dong, W.	3	735
Toksöz, M.N., see Dong, W.	3	748
Toksöz, M.D., see Peng, C. (Short Note)	1	296
Track, A., see Lines, L.	2	354
Transforming walk-away VSP data into reverse VSP data, R. Mittet and K. Hokstad	4	968
Treitel, S., see Lines, L.	2	354
Tripp, A.C., see Beard, L.P.	5	1326
Tripp, A.C., see Wang, T. (Short Note)	4	1265
Tripp, A.C., see Xiong, Z. (Short Note)	1	291
Tsokas, G.N., The detection of monumental tombs buried in tumuli by seismic refraction	6	1735
Tsvankin, I., Body-wave radiation patterns and AVO in transversely isotropic media	5	1409
Tsvankin, I., Inversion of reflection traveltimes for transverse isotropy	4	1095
Tsvankin, I., Normal moveout from dipping reflectors in anisotropic media	1	268
Tsvankin, I., see Alkhalifah, T.	5	1550
Tunnel signature prediction for a cross-borehole seismic survey, R.D. Rechtien, R.J. Greenfield, and R.F. Ballard, Jr.	1	76
Turning-ray tomography, J.P. Stefani	6	1917
2-D depth migration in transversely isotropic mel819 using explicit operators, O. Uzcategui	6	1819
2-D Hartley transforms, N. Sundararajan	1	262
2.5-D wave equations and high-frequency asymptotics, J.W. Stockwell, Jr.	2	556
Tygel, M., see Hubral, P.	4	1195
Tzimeas, K., see Tsokas, G.N.	6	1735
Ulrych, T.J., see Sacchi, M.D.	4	1169
Ultrasonic velocity-porosity relationships for sandstone analogs made from fused glass beads, P.A. Berge, B.P. Bonner, and J.G. Berryman	1	108
Uneven effect of random noise in magnetotelluric apparent resistivity definitions, E. Gómez-Trevino and M. Mondragón (Short Note)	4	1238
Ursin, B., Robust AVO analysis	2	317
Uzcategui, O., 2-D depth migration in transversely isotropic media using explicit operators	6	1819
Vafidis, A., see Dai, N.	2	327
Vafidis, A., see Tsokas, G.N.	6	1735

	Issue	Page
van Luik, K.W., see Tichelaar, B.W.	6	1627
Van Schaack, M., High-resolution crosswell imaging of a west Texas carbonate reservoir: Part 2—Wavefield modeling and analysis	3	682
Van Schaack, M., see Lazaratos, S.K.	3	702
Van Schaack, M., see Lines, L.	2	354
Van Schaack, M., see Harris, J.M.	3	667
Van Schaack, M., see Rector, J.W. III	3	692
Vargemezis, G., see Tsokas, G.N.	6	1735
Vasco, D.W., Beyond ray tomography: Wavepaths and Fresnel volumes	6	1790
Vassiliou, A.A., see Mathisen, M.E.	3	631
Vassiliou, A.A., see Mathisen, M.E.	3	651
Velocity analysis for transversely isotropic media, T. Alkhalifah and I. Tsvankin	5	1550
Velocity computation from checkshot surveys in deviated wells, I.T. Noponen (Short Note)	6	1930
Verma, S.K., Focused resolution of thin conducting layers by various dipole EM systems	2	381
Vertical resolution of a seismic survey in stratigraphic sequences less than 100 m deep in southeastern Kansas, R.D. Miller, N.L. Anderson, H.R. Feldman, and E.K. Franseen	2	423
Viscoacoustic wave propagation in 2-D random media and separation of absorption and scattering attenuation, G. Kneib and S.A. Shapiro	2	459
VSP normal moveout stretch, J.C. Owusu and T.W. Spencer (Short Note)	5	1579
Wait, J.R., Analytical solution of the borehole resistivity casing problem (Short Note)	4	1261
Walden, A.F., see Lee, D.S.	3	758
Walk-away VSP using drill noise as a source, J.B.U. Haldorsen, D.E. Miller, and J.J. Walsh	4	978
Walsh, J.J., see Haldorsen, J.B.U.	4	978
Wang, T., Studying the TEM response of a 3-D conductor at a geological contact using the FDTD method (Short Note)	4	1265
Wang, Z., see Nolen-Hoeksema, R.C.	3	712
Warner, M., see Brittan, J. (Short Note)	4	1243
Water saturation and permeability from resistivity dielectric and porosity logs, O.A.L. de Lima	6	1756
Wave-equation velocity replacement of the low-velocity layer for overthrust-belt data, W.A. Schneider, Jr., L.D. Phillip, and E.F. Paal	2	573
Wave propagation in heterogeneous, porous media: A velocity-stress, finite-difference method, N. Dai, A. Vafidis, and E.R. Kanasewich	2	327
Williamson, P.R., Critical review of acoustic wave modeling procedures in 2.5 dimensions (Short Note)	2	591
Williamson, P.R., see Song, Z.M.	3	784
Williamson, P.R., see Song, Z.M.	3	796
Wilt, M.J., Crosswell electromagnetic tomography: System design considerations and field results	3	871
Woodham, C.A., Error analysis for the seismic PDA tracker	5	1451
Woodham, C.A., 3-D seismic tracking with probabilistic data association	4	1088
Wraparound elimination technique for the pseudospectral wave synthesis using an antiperiodic extension of the wavefield, T. Furumura and H. Takenaka (Short Note)	1	302
Xiong, Z., Block iterative algorithm for 3-D electromagnetic modeling using integral equations with symmetrized substructures, (Short Note)	1	291
Xu, T., 3-D prestack full-wavefield inversion	6	1805
Yamamoto, T., Imaging the permeability structure of a limestone aquifer by crosswell acoustic tomography	6	1634
Young, R.A., see Sun, J.	5	1378
Zaleski, S., see Bunks, C.	5	1457
Zeng, X., Comparison of ray and Fourier methods for modeling monostatic ground-penetrating radar profiles	6	1727
Zhang, J., 3-D resistivity forward modeling and inversion using conjugate gradients	5	1313
Zhong, B., New strategy for CCP stacking	2	517
Zhou, X., see Zhong, B.	2	517
Zhou, C., Acoustic wave-equation traveltime and waveform inversion of crosshole seismic data	3	765
Zinni, E.V., Subsurface fault detection using seismic data for hazardous-waste-injection well permitting: An example from St. John the Baptist Parish, Louisiana	2	468